

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. - 77. (cancelled)

78. (new) A cosmetic or dermatological composition, wherein the composition is pearlescent and comprises:

(I) up to 10% by weight, based on a total weight of the composition, of one or more C₁₂-C₄₀ fatty acids,

(II) from 0.1% to 10% by weight, based on a total weight of the composition, of one or more C₁₂-C₄₀ fatty alcohols,

(III) from 0.01% to 10% by weight, based on a total weight of the composition, of at least one of an amphiphilic polymer, an associative polymer and a siloxane elastomer,

(IV) at least one of sodium hydroxide and potassium hydroxide,

(V) from 0.1% to 10% by weight, based on a total weight of the composition, of one or more C₁₂-C₄₀ polyethoxylated fatty acid esters having a polyethoxy chain length of from 10 to 100,

(VI) optionally, at least one low molecular weight surfactant.

79. (new) A cosmetic or dermatological composition, wherein the composition is pearlescent and comprises:

P24855.A06

(I) up to 12% by weight, based on a total weight of the composition, of one or more C₁₂-C₄₀ fatty acids,

(II) from 0% to 3% by weight, based on a total weight of the composition, of one or more C₁₂-C₄₀ fatty alcohols,

(III) from 0.01% to 10% by weight, based on a total weight of the composition, of at least one of an amphiphilic polymer, an associative polymer and a siloxane elastomer,

(IV) at least one of sodium hydroxide and potassium hydroxide.

80. (new) The composition of claim 78, wherein (I) comprises at least one of stearic acid and palmitic acid.

81. (new) The composition of claim 78, wherein (II) comprises at least one of myristyl alcohol, cetyl alcohol, behenyl alcohol, stearyl alcohol and cetearyl alcohol.

82. (new) The composition of claim 78, wherein (III) comprises at least one of dimethicone/vinyl dimethicone crosspolymer, polysilicone-11, acrylate/vinyl isodecanoate crosspolymer, acrylate/steareth-20 methacrylate copolymer, acrylate/steareth-20 itaconate copolymer, acrylate/steareth-50 acrylate copolymer, acrylate/palmeth-25 acrylate copolymer, steareth-10 allyl ether/acrylate copolymer, PEG-120 methylglucose dioleate, PEG-60 sorbitan tetraoleate, PEG-150 pentaerythrityl tetrastearate, PEG-55 propylene glycol oleate, PEG-150 distearate and PEG-180/laureth-50 TMMG copolymer.

83. (new) The composition of claim 78, wherein (IV) comprises sodium hydroxide.

84. (new) The composition of claim 78, wherein (V) comprises at least one of PEG-30 stearate, PEG-40 stearate and PEG-100 stearate.

85. (new) The composition of claim 84, wherein (VI) comprises at least one of steareth-2, laureth-4 and ceteth-3.

86. (new) The composition of claim 79, wherein (I) comprises at least one of stearic acid and palmitic acid.

87. (new) The composition of claim 79, wherein (II) comprises at least one of myristyl alcohol, cetyl alcohol, behenyl alcohol, stearyl alcohol and cetearyl alcohol.

88. (new) The composition of claim 79, wherein (III) comprises at least one of dimethicone/vinyl dimethicone crosspolymer, polysilicone-11, acrylate/vinyl isodecanoate crosspolymer, acrylate/steareth-20 methacrylate copolymer, acrylate/steareth-20 itaconate copolymer, acrylate/steareth-50 acrylate copolymer, acrylate/palmeth-25 acrylate copolymer, steareth-10 allyl ether/acrylate copolymer, PEG-120 methylglucose dioleate, PEG-60 sorbitan tetraoleate, PEG-150 pentaerythrityl tetrastearate, PEG-55 propylene glycol oleate, PEG-150 distearate and PEG-180/laureth-50 TMMG copolymer.

89. (new) The composition of claim 79, wherein (IV) comprises sodium hydroxide.
90. (new) The composition of claim 78, wherein a ratio (I):(II):(V) is from 5:1:1 to 1:1:5.
91. (new) The composition of claim 78, wherein a ratio (I):(II):(V) is from 3:1:1 to 3:1:3.
92. (new) The composition of claim 78, wherein a ratio (I):(II):(V) is from 3:1:1 to 1:1:3.
93. (new) The composition of claim 78, wherein the composition comprises from 0.1% to 10% by weight of (I).
94. (new) The composition of claim 79, wherein the composition comprises from 0.1% to 10% by weight of (I).
95. (new) The composition of claim 78, wherein the composition comprises from 0.1% to 5% by weight of (II).
96. (new) The composition of claim 93, wherein the composition comprises up to 3% by weight of (II).

P24855.A06

97. (new) The composition of claim 78, wherein the composition comprises up to 5% by weight of (V).

98. (new) The composition of claim 78, wherein the composition comprises from 0.01% to 5% by weight of at least one of an amphiphilic polymer and an associative polymer.

99. (new) The composition of claim 79, wherein the composition comprises from 0.01% to 5% by weight of at least one of an amphiphilic polymer and an associative polymer.

100. (new) The composition of claim 78, wherein the composition comprises at least 0.5% by weight of a siloxane elastomer.

101. (new) The composition of claim 79, wherein the composition comprises at least 0.5% by weight of a siloxane elastomer.

102. (new) The composition of claim 78, wherein the composition comprises:

(I) from 0.1% to 10% by weight of at least one of stearic acid and palmitic acid,

(II) from 0.1% to 10% by weight of at least one of cetyl alcohol, behenyl alcohol, stearyl alcohol and cetearyl alcohol,

(III) from 0.01% to 10% by weight of at least one of dimethicone/vinyl dimethicone crosspolymer, polysilicone-11, acrylate/vinyl isodecanoate crosspolymer, acrylate/steareth-20 methacrylate

P24855.A06

copolymer, acrylate/steareth-20 itaconate copolymer, acrylate/steareth-50 acrylate copolymer, acrylate/palmeth-25 acrylate copolymer, steareth-10 allyl ether/acrylate copolymer, PEG-120 methylglucose dioleate, PEG-60 sorbitan tetraoleate, PEG-150 pentaerythrityl tetrastearate, PEG-55 propylene glycol oleate, PEG-150 distearate and PEG-180/laureth-50/TMMG copolymer,

(IV) from 0.15% to 1% by weight of sodium hydroxide,

(V) up to 10% by weight of at least one of PEG-20 stearate, PEG-40 stearate and PEG-100 stearate, and

(VI) from 0% to 10% by weight of at least one of steareth-2, laureth-4 and ceteth-3.

103. (new) The composition of claim 79, wherein the composition comprises:

(I) from 0.1% to 12% by weight of at least one of stearic acid and palmitic acid,

(II) from 0% to 3% by weight of at least one of cetyl alcohol, behenyl alcohol, stearyl alcohol and cetearyl alcohol,

(III) from 0.01% to 10% by weight of at least one of dimethicone/vinyl dimethicone crosspolymer, polysilicone-11, acrylate/vinyl isodecanoate crosspolymer, acrylate/steareth-20 methacrylate copolymer, acrylate/steareth-20 itaconate copolymer, acrylate/steareth-50 acrylate copolymer, acrylate/palmeth-25 acrylate copolymer, steareth-10 allyl ether/acrylate copolymer, PEG-120 methylglucose dioleate, PEG-60 sorbitan tetraoleate, PEG-150 pentaerythrityl tetrastearate, PEG-55 propylene glycol oleate, PEG-150 distearate and PEG-180/laureth-50/TMMG copolymer, (IV) 0.25% to 1% by weight of sodium hydroxide.

P24855.A06

104. (new) The composition of claim 78, wherein the composition comprises sodium hydroxide as an exclusive neutralizing agent.

105. (new) The composition of claim 79, wherein the composition comprises sodium hydroxide as an exclusive neutralizing agent.

106. (new) The composition of claim 78, wherein not more than 9% of the one or more fatty acids are saponified.

107. (new) The composition of claim 79, wherein not more than 9% of the one or more fatty acids are saponified.

108. (new) The composition of claim 78, wherein (VI) comprises laureth-4.

109. (new) The composition of claim 78, wherein the composition further comprises up to 30% by weight of at least one of a non-polar lipid having a polarity of at least 30 mN/m, a mineral oil, a silicone oil and a wax.

110. (new) The composition of claim 109, wherein the non-polar lipid and the wax are selected from non-polar hydrocarbons, hydrogenated polyisobutene, squalane, cyclomethicones, dimethicones, methyl palmitate and dimethiconol stearate.

P24855.A06

111. (new) The composition of claim 109, wherein a lipid phase of the composition comprises up to 60% by weight, based on a total weight of the lipid phase, of one or more polar lipids having a polarity of at most 30 mN/m.

112. (new) The composition of claim 79, wherein the composition further comprises up to 30% by weight of at least one of a non-polar lipid having a polarity of at least 30 mN/m, a mineral oil, a silicone oil and a wax.

113. (new) The composition of claim 112, wherein the non-polar lipid and the wax are selected from non-polar hydrocarbons, hydrogenated polyisobutene, squalane, cyclomethicones, dimethicones, methyl palmitate and dimethiconol stearate.

114. (new) The composition of claim 112, wherein a lipid phase of the composition comprises up to 60% by weight, based on a total weight of the lipid phase, of one or more polar lipids having a polarity of at most 30 mN/m.

115. (new) The composition of claim 78, wherein the composition further comprises PEG-40 hydrogenated castor oil as a solubilizer.

116. (new) The composition of claim 79, wherein the composition further comprises PEG-40 hydrogenated castor oil as a solubilizer.

117. (new) The composition of claim 78, wherein the composition further comprises ethanol in an amount of up to 30% by weight.

118. (new) The composition of claim 79, wherein the composition further comprises ethanol in an amount of up to 30% by weight.

119. (new) The composition of claim 78, wherein the composition is substantially free of mono- and di-fatty acid esters of glycerol and glycol.

120. (new) A cosmetic or dermatological composition, wherein the composition is pearlescent, is substantially free of mono- and di-fatty acid esters of glycerol and glycol and comprises:

(I) up to 12% by weight, based on a total weight of the composition, of one or more C_{12} - C_{40} fatty acids,

(II) from 0% to 3% by weight, based on a total weight of the composition, of one or more C_{12} - C_{40} fatty alcohols,

(III) from 0.01% to 10% by weight, based on a total weight of the composition, of at least one of an amphiphilic polymer, an associative polymer and a siloxane elastomer,

(IV) at least one of sodium hydroxide and potassium hydroxide.

121. (new) The composition of claim 119, wherein (I) comprises at least one of stearic acid and palmitic acid.

122. (new) The composition of claim 119, wherein (II) comprises at least one of myristyl alcohol, cetyl alcohol, behenyl alcohol, stearyl alcohol and cetearyl alcohol.

123. (new) The composition of claim 119, wherein (III) comprises at least one of dimethicone/vinyl dimethicone crosspolymer, polysilicone-11, acrylate/vinyl isodecanoate crosspolymer, acrylate/steareth-20 methacrylate copolymer, acrylate/steareth-20 itaconate copolymer, acrylate/steareth-50 acrylate copolymer, acrylate/palmeth-25 acrylate copolymer, steareth-10 allyl ether/acrylate copolymer, PEG-120 methylglucose dioleate, PEG-60 sorbitan tetraoleate, PEG-150 pentaerythrityl tetrastearate, PEG-55 propylene glycol oleate, PEG-150 distearate and PEG-180/laureth-50 TMMG copolymer.

124. (new) The composition of claim 119, wherein (V) comprises at least one of PEG-30 stearate, PEG-40 stearate and PEG-100 stearate.

125. (new) The composition of claim 119, wherein (VI) comprises at least one of steareth-2, laureth-4 and ceteth-3.

126. (new) The composition of claim 120, wherein (I) comprises at least one of stearic acid and palmitic acid.

127. (new) The composition of claim 120, wherein (II) comprises at least one of myristyl

alcohol, cetyl alcohol, behenyl alcohol, stearyl alcohol and cetearyl alcohol.

128. (new) The composition of claim 120, wherein (III) comprises at least one of dimethicone/vinyl dimethicone crosspolymer, polysilicone-11, acrylate/vinyl isodecanoate crosspolymer, acrylate/steareth-20 methacrylate copolymer, acrylate/steareth-20 itaconate copolymer, acrylate/steareth-50 acrylate copolymer, acrylate/palmeth-25 acrylate copolymer, steareth-10 allyl ether/acrylate copolymer, PEG-120 methylglucose dioleate, PEG-60 sorbitan tetraoleate, PEG-150 pentaerythrityl tetrastearate, PEG-55 propylene glycol oleate, PEG-150 distearate and PEG-180/laureth-50 TMMG copolymer.

129. (new) The composition of claim 119, wherein a ratio (I):(II):(V) is from 5:1:1 to 1:1:5.

130. (new) The composition of claim 119, wherein the composition comprises from 0.01% to 5% by weight of at least one of an amphiphilic polymer and an associative polymer.

131. (new) The composition of claim 120, wherein the composition comprises from 0.01% to 5% by weight of at least one of an amphiphilic polymer and an associative polymer.

132. (new) The composition of claim 119, wherein the composition comprises at least 0.5% by weight of a siloxane elastomer.

P24855.A06

133. (new) The composition of claim 120, wherein the composition comprises at least 0.5% by weight of a siloxane elastomer.

134. (new) The composition of claim 119, wherein the composition comprises:

- (I) from 0.1% to 10% by weight of at least one of stearic acid and palmitic acid,
- (II) from 0.1% to 10% by weight of at least one of cetyl alcohol, behenyl alcohol, stearyl alcohol and cetearyl alcohol,
- (III) from 0.01% to 10% by weight of at least one of dimethicone/vinyl dimethicone crosspolymer, polysilicone-11, acrylate/vinyl isodecanoate crosspolymer, acrylate/steareth-20 methacrylate copolymer, acrylate/steareth-20 itaconate copolymer, acrylate/steareth-50 acrylate copolymer, acrylate/palmeth-25 acrylate copolymer, steareth-10 allyl ether/acrylate copolymer, PEG-120 methylglucose dioleate, PEG-60 sorbitan tetraoleate, PEG-150 pentaerythrityl tetrastearate, PEG-55 propylene glycol oleate, PEG-150 distearate and PEG-180/laureth-50/TMMG copolymer,
- (IV) from 0.15% to 1% by weight of sodium hydroxide,
- (V) up to 10% by weight of at least one of PEG-20 stearate, PEG-40 stearate and PEG-100 stearate, and
- (VI) up to 10% by weight of at least one of steareth-2, laureth-4 and ceteth-3.

135. (new) The composition of claim 120, wherein the composition comprises:

- (I) from 0.1% to 12% by weight of at least one of stearic acid and palmitic acid,
- (II) from 0% to 3% by weight of at least one of cetyl alcohol, behenyl alcohol, stearyl alcohol and

P24855.A06

cetearyl alcohol,

(III) from 0.01% to 10% by weight of at least one of dimethicone/vinyl dimethicone crosspolymer, polysilicone-11, acrylate/vinyl isodecanoate crosspolymer, acrylate/steareth-20 methacrylate copolymer, acrylate/steareth-20 itaconate copolymer, acrylate/steareth-50 acrylate copolymer, acrylate/palmeth-25 acrylate copolymer, steareth-10 allyl ether/acrylate copolymer, PEG-120 methylglucose dioleate, PEG-60 sorbitan tetraoleate, PEG-150 pentaerythrityl tetrastearate, PEG-55 propylene glycol oleate, PEG-150 distearate and PEG-180/laureth-50/TMMG copolymer, (IV) 0.25% to 1% by weight of sodium hydroxide.

136. (new) The composition of claim 135, wherein the composition comprises sodium hydroxide as an exclusive neutralizing agent.